INDEX TO VOLUME VIII

Page numbers preceded by "(P)" refer to the summaries of papers read at the General Meetings of the Association of Clinical Pathologists

A

Aceto-acetate levels in blood in post-operative period, (P) 352
Adrenal apoplexy, post-traumatic, 185
— corticoid excretion in Cushing's syndrome, (P) 351
Aircraft accidents, fatal, pathology of, (P) 348
— disasters, Comet, pathology of, (P) 348
Albumin-serum mixture for detecting antibodies, 218
ALEXANDER, J. G.: The normal blood clotting time in the light of experience with the "two-syringe" technique, 227
ALTON, H. G., *see* BELL, W. N., and ALTON, H. G.
Amino-acid composition of serum proteins in health and disease, 153
para-Aminosalicylic acid, solid and liquid medium sensitivity tests of tubercle bacilli to, 229
Ammonia, blood levels in liver disease, (P) 181
Amoebiasis, immobilization test for, 245
Anaemia, megaloblastic, paroxysmal nocturnal haemoglobinuria associated with, 211
Aneurysm, dissecting, in a child, 313
Antibiotic combinations for suppression of resistant variants in urinary infections, (P) 350
— treatment, complications and failures in, (P) 349
Antibiotics, dried disc technique with, 117
— effect on thromboplastin generation, 173
Antibodies, serum-albumin mixture for detecting, 218
Anticoagulant, circulating, haemorrhagic diathesis due to, 168
Anticoagulants, circulating, diagnosis of, (P) 181
— oral, effect of diet upon response to, 65
Antigen-antibody reactions, blood group, serum-albumin mixture for detecting, 218
Antigen P, serum containing high titre of, 329
Antigenic activity of toxoids, enhancement by sympathomimetic drugs, (P) 180
Antistreptolysin, determination of, 296
Aorta, dissecting aneurysm of, in a child, 313
Apoplexy, adrenal, post-traumatic, 185
Aromatic system, urinary metabolites containing an, 73
Aspirated bone-marrow, method of sectioning, 265
Association of Clinical Pathologists: 54th General Meeting, 178
— — — — 55th General Meeting, 348

B

BAAR, H. S.: Interstitial plasmacellular pneumonia due to *Pneumocystis carinii*, 19
Bacilluria, *Proteus*, furadantin in, 123
Bacitracin, dried disc technique with, 117
Bacterial capsules, staining with ferric compounds, 343
Bacteriological aspects of failures in drug therapy, (P) 349
Bacteriophage typing of *S. aureus*, (P) 180
BARON, D. N.: Aspects of hypophysectomy, (P) 352
BEDWELL, G. A., PATTERSON, J., and SWALE, J.: The estimation of Evans blue in plasma, 61
BEEMER, A. M., and HOWELLS, C. H. L.: A new method of determining the sensitivity of *M. tuberculosis* to chemotherapeutic agents, 242
BEHR, G., *see* JENNINGS, R. C., and BEHR, G.
BELL, W. N., and ALTON, H. G.: The effect of antibiotics on thromboplastin generation, 173
BERENBAUM, M. C.: The staining of bacterial capsules and slime with ferric compounds, 343
BERNSTEIN, R. E.: The correction of mean cell volume and mean cell haemoglobin concentration, 225
BIGGS, R.: The diagnosis of haemophilia and Christmas disease, (P) 181
Bile pigments, serum, chromatographic method for determination of, 126
— — serum, in obstructive jaundice and hepatitis, 130
Bilirubin in urine, assessment of new tests for, 163
BILLING, B. H.: A chromatographic method for the determination of the three bile pigments in serum, 126
— The three serum bile pigments in obstructive jaundice and hepatitis, 130
BLACKBURN, E. K.: Investigation of haemorrhagic states with special reference to defects of coagulation of the blood, (P) 182
Blood aceto-acetate levels in the immediate post-operative period, (P) 352
— acid and alkaline phosphatase values in cancer of the prostate, (P) 351
— ammonia levels in liver disease, (P) 181
— and egg media for rapid isolation of *M. tuberculosis*, comparison of, 300
— clot, fate of *Salmonella typhi* in, 52
— clotting time, normal, in light of experience with "two-syringe" technique, 227
— copper and its relationship to globulins, 69
Blood eosinopenia, spleen and, 42
— glucose estimation, colour production and stability in Folin-Wu method of, 253
— group antigen-antibody reactions, serum-albumin mixture for detection of, 218
— mean cell volume and mean cell haemoglobin concentration, 225
— occult, in faeces, ortho-tolidine method for detection of, 249
— stream, effect of chloramphenicol on isolation of *S. typhi* from, 55
Blue, Evans, estimation in plasma, 61
Bone, Paget's disease of, jaws and teeth in, 195
Bone-marrow, aspirated, method of sectioning, 265
— leukaemic human, uptake of sulphate ^{35}S by, 166
Book reviews:
Baker, F. J., Silverton, R. E., and Luckcock, E. D.: *An Introduction to Medical Laboratory Technology*, 1955, 183
British Medical Association: *Clinical Pathology in General Practice*, 1955, 353
Ciba Foundation Symposium on Leukaemia Research, 1954, 268
Cole, W. H., ed.: *Serological Approaches to Studies of Protein Structure and Metabolism. Annual Conference on Protein Metabolism, 1954*, 1955, 184
Dacie, J. V.: *The Haemolytic Anaemias: Congenital and Acquired*, 1954, 353
Escamilla, R. F.: *Laboratory Aids to Endocrine Diagnosis*, 1954, 86
Experimental Diabetes and its Relation to the Clinical Disease, 1954, 86
Faber, H. K.: *The Pathogenesis of Poliomyelitis*, 1955, 353
Harrison, R. G., ed.: *Studies on Fertility*, 1954, 183
Mourant, A. E.: *The Distribution in Human Blood Groups*, 1954, 87
Nabarro, J. D. N.: *Biochemical Investigations in Diagnosis and Treatment*, 88
Stokes, E. J.: *Clinical Bacteriology*, 1955, 183
Vannotti, A.: *Porphyrins: Their Biological and Chemical Importance*, 1954, 86
Wolff, J. W.: *The Laboratory Diagnosis of Leptospirosis*, 1954, 87
Books received, 354
Borate buffer, use in paper electrophoresis of serum, 150
BOWERS, E. F., and JEFFRIES, L. R.: Optochin in the identification of *Str. pneumoniae*, 58
BRADLEY, W. H.: The value of typing in epidemiological investigations, (P) 179
Brewer's medium as method of inducing sickling in susceptible cells, 267
Broadsheets (New Series), 354
Bronchiectasis, occurrence of *Pasteurella septica* in, 49
BROOKS, R. V., *see* PRUNTY, F. T. G., BROOKS, R. V., and MILLS, I. H.
BROWN, J. A. H., and WHITBY, J. L.: An immobilization test for amoebiasis, 245
BRYANT, D., and FLYNN, F. V.: An assessment of new tests for detecting bilirubin in urine, 163
BUCHANAN, Elizabeth H., *see* ROGERS, K. B., CRACKNELL, V. M., BUCHANAN, E. H., and HALLEY, H.
Buffer, borate, use in paper electrophoresis of serum, 150
Burned patients, Döhle bodies in leucocytes of, 324
BUSHBY, S. R. M.: Sensitivity tests for the polymyxins, 120

C

CALDWELL, D. C., and RAPHAEL, S. S.: A case of cryptococcal meningitis, 32
Cancer of prostate, blood acid and alkaline phosphatase values in, (P) 351
Capsules, bacterial, staining with ferric compounds, 343
Carbomycin, dried disc technique with, 117
Carcinoma of lung in haematite miners, (P) 181
CAWSON, R. A., and TALBOT, J. M.: The occurrence of *Pasteurella septica* (syn. *Multocida*) in bronchiectasis, 49
Cell volume and cell haemoglobin concentration, 225
Cells of normal human urine, 25
Cerebrospinal fluid, estimation of protein in, using M.R.C. photometer, 252
— — glutamine content, in hepatic coma, 81
— — glutamine in, determination of, 81
Cetrimide product, new, in selective medium for *Ps. pyocyanea*, 47
CHARTER, Ruth E., *see* TAYLOR, Joan, and CHARTER, Ruth E.
Chemotherapeutic agents, method of determining sensitivity of *M. tuberculosis* to, 242
Child, dissecting aneurysm in, 313
Chloramphenicol, effect on isolation of *S. typhi* from blood stream, 55
CHRISTIE, A. C.: A histochemical property of the oxyphil cells of the human parathyroid glands, 302
Christmas disease and haemophilia, diagnosis of, (P) 181
Chromatographic method for determination of three bile pigments in serum, 126
CO_2-dependent staphylococcus, 288

Coagulation defects, investigation of, (P) 182
— time, normal, 227
— — "two-syringe" technique, 227
Coleman, P. N.: A case of dissecting aneurysm in a child, 313
Collagenosis, viscero-cutaneous, 1
Collins, A. G., *see* Lowbury, E. J. L., and Collins, A. G.
Coma, hepatic, glutamine content of cerebrospinal fluid in, 81
Comet aircraft disasters, pathology of, (P) 348
Complement-fixation test in diagnosis of herpes simplex infections, 292
— — tests, sensitivity of haemolytic system in, (P) 178
Conductivity water, production and storage of, 262
Consden, R., and Powell, M. N.: The use of borate buffer in paper electrophoresis of serum, 150
Cope, C. L.: Adrenal corticoid excretion in Cushing's syndrome, (P) 351
Copper, blood, and its relationship to globulins, 69
Corticoids, excretion of salt-retaining, (P) 352
Cracknell, V. M., *see* Rogers, K. B., Cracknell, V. M., Buchanan, E. H., and Halley, H.
Creatinine, plasma, 160
Cryptococcal meningitis, case of, 32
Cumings, J. N., Goodwin, H. J., and Earl, C. J.: Blood copper and its relationship to the globulins, 69
Cummings, A. J., and Flynn, F. V.: Amino-acid composition of serum proteins in health and disease, 153
Cunningham, G. J.: Radiographic examination of lung specimens by soft X rays, (P) 181
Cushing's syndrome, adrenal corticoid excretion in, (P) 351

D

Dalgliesh, C. E.: Isolation and examination of urinary metabolites containing an aromatic system, 73
Dangerfield, W. G., and Smith, E. B.: An investigation of serum lipids and lipoproteins by paper electrophoresis, 132
Davidson, W. M.: Haematological aspects of toxic reactions, (P) 350
Diabetes mellitus, glycogen storage in liver in, 110
Dick, J. C., Ritchie, G. M., and Thompson, H.: Histological differentiation between phaeochromocytoma and melanoma of the suprarenal gland, 89
Diet, effect upon response to oral anticoagulants, 65
Dimond, E. R., *see* Stratton, F., and Dimond, E. R.
Disc technique, dried, with antibiotics, 117
Dische, S.: Colour production and stability in the Folin and Wu method of blood glucose estimation, 253
Discombe, G., and Jones, R. F.: The production and storage of conductivity water, 262
Dissecting aneurysm in a child, 313
Döhle bodies in leucocytes of patients with burns, 324
Dried disc technique with antibiotics, 117
Drug therapy, bacteriological aspects of failures in, (P) 349
— — Symposium on complications and failures of, (P) 349
Dunlop, G. A., and Lowe, B. D.: A comparison of blood and egg media for the rapid isolation of *Mycobacterium tuberculosis*, 300
Dwarf-colony variant of *Staphylococcus aureus*, 284

E

Earl, C. J., *see* Cumings, J. N., Goodwin, H. J., and Earl, C. J.
Egg and blood media for rapid isolation of *M. tuberculosis*, comparison of, 300
Electrophoresis, continuous, of serum proteins, 338
— filter paper, reliability of determination of urinary proteins by, 140
— paper, apparatus for, 144
— — demonstration of iron-binding globulin by, 334
— — investigation of serum lipids and lipoproteins by, 132
— — of serum, use of borate buffer in, 150
Elek, S. D., *see* Stern, H., and Elek, S. D.
Ellis, F., Lajtha, L. G., and Oliver, R.: Uptake of sulphate ^{35}S by leukaemic human bone marrow *in vivo*, 166
Emery, J. L.: Pneumothorax and interstitial emphysema in the newborn, (P) 180
Emphysema, interstitial, and pneumothorax, in newborn, (P) 180
Emslie-Smith, D., Johnstone, J. M., and Whyte, I. C.: Naso-pharyngeal plasmocytoma with extensive skin metastases, 104
Eosinopenia, blood, spleen and, 42
Epidemiological investigations, value of typing in, (P) 179
Erythrocytes, Brewer's medium as method of inducing sickling in, 267
Erythromycin, dried disc technique with, 117
Escherichia coli O.128, causing gastro-enteritis of infants, 276
— — — epidemic infantile gastro-enteritis due to, 282
Evans, D. M. D.: Haemorrhagic diathesis due to a circulating anti-coagulant investigated by the thromboplastin generation test, 168
Evans, R. W., Littler, T. R., and Pemberton, H. S.: Glycogen storage in the liver in diabetes mellitus, 110
Evans blue in plasma, estimation of, 61

F

Faeces, occult blood in, ortho-tolidine method for detection of, 249
Fairbrother, R. W., and Jennings, R. C.: The dried disc technique with bacitracin, carbomycin, erythromycin, polymyxin B, and tetracycline, 117
Faulds, J. S.: Incidence and location of lung carcinoma in haematite miners, (P) 181
^{59}Fe and paper electrophoresis in demonstration of iron-binding globulin, 334
Ferric compounds, staining of bacterial capsules and slime with, 343
Fibrinogen-thrombin reaction and prothrombin time, 318
Fibrinous vasculosis, (P) 180
Filter paper electrophoresis, *see* Electrophoresis, filter paper
Fleming, Sir Alexander (obituary), 355
Flynn, F. V., *see* Bryant, D., and Flynn, F. V.
— *see* Cummings, A. J., and Flynn, F. V.
Folin-Wu method of blood glucose estimation, colour production and stability in, 253
Franglen, G. T., Martin, N. H., and Treherne, J. D.: An apparatus for paper electrophoresis, 144
Fryer, D. I.: The pathology of the Comet aircraft disasters, (P) 348
Furadantin in *Proteus* bacilluria, 123

G

Gastric juice, simple method for estimation of pepsin in, 85
Gastro-enteritis, epidemic infantile, due to *Escherichia coli* type O.128, 282
— of infants, *Escherichia coli* O.128 causing, 276
Gel-diffusion method for analysis of human serum proteins, 269
Gell, P. G. H.: Immunological analysis of abnormalities in the human serum proteins by a gel-diffusion method, 269
Globulin, iron-binding, in serum and urine proteins, 334
Globulins, blood copper and its relationship to, 69
Glucose, colour production and stability in Folin-Wu method of estimation in blood, 253
Glutamine content of cerebrospinal fluid in hepatic coma, 81
— in cerebrospinal fluid, determination of, 81
Glycogen storage in liver in diabetes mellitus, 110
Goodwin, H. J., *see* Cumings, J. N., Goodwin, H. J., and Earl, C. J.
Goudie, J. G., and Goudie, R. B.: Recurrent infections by a stable dwarf-colony variant of *Staphylococcus aureus*, 284
Goudie, R. B., *see* Goudie, J. G., and Goudie, R. B.
Granular-cell lipoma, 310
Griffiths, F. E. D., and Grimshaw, W.: Brewer's medium as a method of inducing sickling in susceptible cells, 267
Grimshaw, W., *see* Griffiths, F. E. D., and Grimshaw, W.

H

Haematite miners, lung carcinoma in, (P) 181
Haematological aspects of toxic reactions, (P) 350
— practice, radioactive iron techniques in, (P) 349
Haemochromatosis, secondary, paroxysmal nocturnal haemoglobinuria associated with, 211
Haemoglobin concentration, mean cell, 225
— variants, human, (P) 178
Haemoglobinuria, paroxysmal nocturnal, associated with secondary haemochromatosis, lower nephron nephrosis, and megaloblastic anaemia, 211
Haemolytic system in complement-fixation tests, (P) 178
Haemophilia and Christmas disease, diagnosis of, (P) 181
Haemorrhagic diathesis due to circulating anticoagulant, 168
— — investigated by thromboplastin generation test, 168
— states and coagulation defects, (P) 182
— — investigation of, (P) 182
Haemostatic drug, a new (naphthionin), 331
Halley, Helen, *see* Rogers, K. B., Cracknell, V. M., Buchanan, E. H., and Halley, H.
Hardisty, R. M.: The diagnosis of circulating anticoagulants, (P) 181
Hardy, J., *see* Merritt, M., and Hardy, J.
Harvey, Clare, and Jackson, Margaret H.: A method of concentrating spermatozoa in human semen, 341
Hayden, M., *see* Wright, H. P., and Hayden, M.
Hayhoe, F. G. J.: Reticulum-celled medullary reticulosis in a young adult, 99
Heffernan, C. K., and Jaswon, N.: A case of paroxysmal nocturnal haemoglobinuria associated with secondary haemochromatosis, a lower nephron nephrosis, and a megaloblastic anaemia, 211
— Kippax, P. W., and Pamplin, W. A. V.: Furadantin in *Proteus* bacilluria: preliminary communication, 123
Heparin, commercial, phosphate contamination of, 247
Hepatic coma, glutamine content of cerebrospinal fluid in, 81
Hepatitis, three serum bile pigments in, 130
Herpes simplex infections, complement-fixation test in diagnosis of, 292
Hibernoma (granular cell lipoma), 310
Hill, M. J., *see* Wetherley-Mein, G., Hutt, M. S. R., Langmead, W. A., and Hill, M. J.
Histochemical property of oxyphil cells of human parathyroid glands, 302
Histopathology of the skin, (P) 348
Hobart, Margaret H., and Rose, C. F. M.: A simple method for the continuous electrophoresis of serum proteins, 338
Hodgkin's disease, torulosis associated with, 201, 207
Howells, C. H. L., *see* Beemer, A. M., and Howells, C. H. L.
Hutt, M. S. R., *see* Wetherley-Mein, G., Hutt, M. S. R., Langmead, W. A., and Hill, M. J.
Hypophysectomy, aspects of, (P) 352

I

Immobilization test for amoebiasis, 245
Immunological analysis of abnormalities in human serum proteins, 269
Infantile gastro-enteritis due to *Escherichia coli* O.128, 276, 282
INGRAM, G. I. C.: Variations in the reaction between thrombin and fibrinogen and their effect on the prothrombin time, 318
Iron, radioactive, in routine haematological practice, (P) 349
Iron-binding globulin in serum and urine proteins, 334

J

JACKSON, Margaret H., *see* HARVEY, C., and JACKSON, M. H.
JASWON, N., *see* HEFFERNAN, C. K., and JASWON, N.
Jaundice, obstructed, three serum bile pigments in, 130
Jaws and teeth in Paget's disease of bone, 195
JEFFRIES, L. R., *see* BOWERS, E. F., and JEFFRIES, L. R.
JENNINGS, R. C., and BEHR, G.: Hibernoma (granular cell lipoma), 310
— *see also* FAIRBROTHER, R. W., and JENNINGS, R. C.
JOHNSON, G. D.: The determination of antistreptolysin, 296
JOHNSTONE, J. M., *see* EMSLIE-SMITH, D., JOHNSTONE, J. M., and WHYTE, I. C.
JONES, R. F.: The application of radiant heating in the clinical laboratory, 345
— *see also* DISCOMBE, G., and JONES, R. F.
JORDAN, A.: The determination and significance of 17-ketogenic steroids in urine, (P) 351

K

17-Ketogenic steroids in urine, determination and significance of, (P) 351
KIPPAX, P. W., *see* HEFFERNAN, S. J., KIPPAX, P. W., and PAMPLIN, W. A. V.
KNOX, R.: Bacteriological aspects of failures in drug therapy, (P) 349
KOHN, J., and O'KELLY, T.: An ortho-tolidine method for the detection of occult blood in faeces, 249

L

Laboratory, clinical, radiant heating in the, 345
LAJTHA, L. G., *see* ELLIS, F., LAJTHA, L. G., and OLIVER, R.
LANGMEAD, W. A., *see* WETHERLEY-MEIN, G., HUTT, M. S. R., LANGMEAD, W. A., and HILL, M. J.
LEHMANN, H.: Human haemoglobin variants, (P) 178
LENDRUM, A. C.: Fibrinous vasculosis, (P) 180
Leucocytes of patients with burns, Döhle bodies in, 324
Leukaemic human bone marrow, uptake of sulphate ^{35}S by, 166
LEVENE, M., and MICHAELS, L.: Acute disseminated torulosis associated with Hodgkin's disease, 201
Lipids, serum, investigation by paper electrophoresis, 132
Lipoma, granular cell, 310
Lipoproteins, serum, investigation by paper electrophoresis, 132
LITTLER, T. R., *see* EVANS, R. W., LITTLER, T. R., and PEMBERTON, H. S.
Liver disease, blood ammonia levels in, (P) 181
— glycogen storage in diabetes mellitus, 110
LOWBURY, E. J. L., and COLLINS, A. G.: The use of a new cetrimide product in a selective medium for *Pseudomonas procyanea*, 47
LOWE, B. D., *see* DUNLOP, G. A., and LOWE, B. D.
LUCAS, R. B.: The jaws and teeth in Paget's disease of bone, 195
Lung carcinoma in haematite miners, (P) 181
— specimens, radiographic examination of, by soft X rays, (P) 181

M

MCGEOWN, M. G., MARTIN, E., and NEILL, D. W.: Phosphate contamination of commercial heparin, 247
MARTIN, E., *see* MCGEOWN, M. G., MARTIN, E., and NEILL, D. W.
MARTIN, N. H., *see* FRANGLEN, G. T., MARTIN, N. H., and TREHERNE, J. D.
MASON, J. K.: The pathology of fatal aircraft accidents, (P) 348
Media for rapid isolation of *M. tuberculosis*, 300
Medium, selective, for *Ps. procyanea*, 47
— solid and liquid, in sensitivity tests of tubercle bacilli, 229
Medullary reticulosis, reticulum-celled, in young adult, 99
Megaloblastic anaemia, paroxysmal nocturnal haemoglobinuria associated with, 211
Melanoma and phaeochromocytoma of suprarenal gland, histological differentiation between, 89
Meningitis, cryptococcal, case of, 32
MERRITT, M., and HARDY, J.: Notes on a serum containing anti-P in high titre, 329
Metabolites, urinary, containing an aromatic system, 73
MICHAELS, L., *see* LEVENE, M., and MICHAELS, L.
MILLS, I. H., *see* PRUNTY, F. T. G., BROOKS, R. V., and MILLS, I. H.
MISCH, K. A.: Torulosis associated with Hodgkin's disease, 207
MITCHISON, D. A., and MONK, M.: Comparison of solid and liquid medium sensitivity tests of tubercle bacilli in *para*-aminosalicylic acid, 229
MODI, N. L., and TOBIN, J. O'H.: The complement-fixation test in the diagnosis of herpes simplex infections, 292
MONK, M., *see* MITCHISON, D. A., and MONK, M.
Multocida, *see Pasteurella septica*
Mycobacterium tuberculosis, comparison of blood and egg media for rapid isolation of, 300
— — detection of streptomycin resistance, 237
— — method of determining sensitivity to chemotherapeutic agents, 242
— — solid and liquid medium sensitivity tests of, 229

N

NAFTALIN, L.: Blood aceto-acetate levels in the immediate post-operative period, (P) 352
Naphthionin, a new haemostatic drug, 331
Nasopharyngeal plasmacytoma with extensive skin metastases, 104
NEALE, F. C.: The demonstration of the iron-binding globulin (transferrin) in serum and urine proteins by use of ^{59}Fe combined with paper electrophoresis, 334
Needle necropsy, 38
NEILL, D. W., *see* MCGEOWN, M. G., MARTIN, E., and NEILL, D. W.
Nephrosis, lower nephron, paroxysmal nocturnal haemoglobinuria associated with, 211
— — — with little or no oliguria, (P) 178
Newborn, pneumothorax and interstitial emphysema in, (P) 180
Nocturnal haemoglobinuria, paroxysmal, 211

O

Obituary:
Fleming, Sir Alexander, 355
Sikl, Hefmsn, 268
Turnbull, Professor H. M., 356
O'KELLY, T., *see* KOHN, J., and O'KELLY, T.
OLIVER, J. O.: Some histopathology of the skin, (P) 348
OLIVER, R., *see* ELLIS, F., LAJTHA, L. G., and OLIVER, R.
Optochin in identification of *Str. pneumoniae*, 58
Ortho-tolidine method for detection of occult blood in faeces, 249
Oxyphil cells of human parathyroid glands, histochemical property of, 302

P

PAGEL, W., and TREIP, C. S.: Viscero-cutaneous collagenosis: a study of the intermediate forms of dermatomyositis, scleroderma, and disseminated lupus erythematosus, 1
Paget's disease of bone, jaws and teeth in, 195
PAMPLIN, W. A. V., *see* HEFFERNAN, S. J., KIPPAX, P. W., and PAMPLIN, W. A. V.
Paper electrophoresis, *see* Electrophoresis, paper
Parathyroid glands, histochemical property of oxyphil cells of, 302
Pasteurella septica, occurrence in bronchiectasis, 49
PATTERSON, J., *see* BEDWELL, G. A., PATTERSON, J., and SWALE, J.
PEMBERTON, H. S., *see* EVANS, R. W., LITTLER, T. R., and PEMBERTON, H. S.
Pepsin in gastric juice, simple method for estimation of, 85
Phaeochromocytoma and melanoma of suprarenal gland, histological differentiation between, 89
Phosphatase, blood acid and alkaline, values in cancer of prostate, (P) 351
Phosphate contamination of commercial heparin, 247
Photometer, M.R.C., estimation of protein in cerebrospinal fluid using, 252
Pituitary-adrenal syndromes, laboratory in diagnosis and management of, (P) 350
Plasma, creatinine, 160
— estimation of Evans blue in, 61
Plasmacellular pneumonia, interstitial, due to *Pneumocystis carinii*, 19
Plasmacytoma, nasopharyngeal, with extensive skin metastases, 104
Pneumocystis carinii, interstitial plasmacellular pneumonia due to, 19
Pneumonia, interstitial plasmacellular, due to *Pneumocystis carinii*, 19
Pneumothorax and interstitial emphysema in newborn, (P) 180
POLLER, L.: A study of naphthionin, a new haemostatic drug, 331
Polymyxin B, dried disc technique with, 117
Polymyxins, sensitivity tests for, 120
Post-operative period, blood aceto-acetate levels in the immediate, (P) 352
Post-traumatic adrenal apoplexy, 185
Potassium salts, effect of ingestion of, on excretion of salt-retaining corticoids, (P) 352
POWELL, M. N., *see* CONSDEN, R., and POWELL, M. N.
Prostatic disease, blood acid and alkaline phosphatase values in, (P) 351
Protein analysis by gel-diffusion method, 269
— in cerebrospinal fluid, estimation of, u ng M.R.C. photometer, 252
Proteins, serum, amino-acid composition of, 153
— — simple method for continuous electrophoresis of, 338
— — and urine, demonstration of iron-binding globulin (transferrin) in, 334
— urinary, reliability of determination by electrophoresis, 140
Proteus bacilluria, furadantin in, 123
Prothrombin time, thrombin-fibrinogen reaction and, 318
PRUNTY, F. T. G., BROOKS, R. V., and MILLS, I. H.: The use of the laboratory in the diagnosis and management of pituitary-adrenal syndromes, (P) 350
Pseudomonas pyocyanea, new cetrimide product in selective medium for, 47

R

Radiant heating in the clinical laboratory, 345
Radioactive iron techniques in routine haematological practice, (P) 349
Radiographic examination of lung specimens by soft X rays, (P) 181
RALSTON, M.: Plasma creatinine, 160
RAMAN, K.: A method of sectioning aspirated bone-marrow, 265
RAPHAEL, S. S., *see* CALDWELL, D. C., and RAPHAEL, S. S.
RAWLINS, G. A.: Cytological examination of sputum in relation to its macroscopic purulence, 114
Red cell volume and cell haemoglobin concentration, 225
Resistant variants in urinary infections, suppression of, (P) 350
Reticulosis, reticulum-celled medullary, in young adult, 99
Reticulum-celled medullary reticulosis in young adult, 99
RICE, H. M.: Observations on the sensitivity of the haemolytic system in complement-fixation tests, (P) 178
RIDDELL, A. G.: Blood ammonia levels in liver disease, (P) 181
RITCHIE, G. M., *see* DICK, J. C., RITCHIE, G. M., and THOMPSON, H.
ROFE, P.: The cells of normal urine: a quantitative and qualitative study using a new method of preparation, 25
ROGERS, K. B.: Complications and failures in antibiotic treatment, (P) 349
— CRACKNELL, V. M., BUCHANAN, E. H., and HALLEY, H.: Epidemic infantile gastro-enteritis due to *Escherichia coli* type O.128, 282
ROSE, C. F. M., *see* HOBART, M. H., and ROSE, C. F. M.

S

Salmonella typhi, effect of chloramphenicol on isolation from blood stream, 55
— — in blood clot, fate of, 52
Salt-retaining corticoids, effect of ingestion of potassium salts on excretion of, (P) 352
Sectioning of aspirated bone-marrow, 265
Semen, human, method of concentrating spermatozoa in, 341
Sensitivity tests, dried disc technique, 117
— — for polymyxins, 120
Serological typing, value of, in epidemiological investigations, (P) 179
Serum and urine proteins, demonstration of iron-binding globulin (transferrin) in, 334
— bile pigments, three, in obstructive jaundice and hepatitis, 130
— chromatographic method for determination of three bile pigments in, 126
— containing anti-P in high titre, 329
— freeze-dried, for biochemical investigations, 88
— lipids and lipoproteins, investigation by paper electrophoresis, 132
— paper electrophoresis of, use of borate buffer, 153
— protein analysis by gel-diffusion method, 269
— proteins in health and disease, amino-acid composition of, 153
— — simple method for continuous electrophoresis of, 338
Serum-albumin mixture for detection of blood group antigen-antibody reactions, 218
SEVITT, S.: Lower nephron nephrosis with little or no oliguria, (P) 178
— Post-traumatic adrenal apoplexy, 185
— The spleen and blood eosinopenia, 42
Sickling, Brewer's medium as method of inducing, 267
Sikl, Heřman (obituary), 268
Skin, histopathology of, (P) 348
— metastases, extensive, nasopharyngeal plasmacytoma with, 104
Slime, bacterial, staining with ferric compounds, 343
SMITH, E. B., *see* DANGERFIELD, W. G., and SMITH, E. B.
Spermatozoa in human semen, method of concentrating, 341
Spleen and blood eosinopenia, 42
Sputum, cytological examination of, in relation to macroscopic purulence, 114
Staphylococcus, studies on a CO_2-dependent, 288
Staphylococcus aureus, bacteriophage typing of, (P) 180
— — recurrent infections by a stable dwarf-colony variant of, 284
Steatorrhoea, simplified method of investigating, 79
STERN, H., and ELEK, S. D.: Antibiotic combinations in the suppression of resistant variants in urinary infections, (P) 350
STEWART, S. M.: The detection of streptomycin resistance in tubercle bacilli, 237
STRATTON, F., and DIMOND, E. R.: The value of a serum and albumin mixture for use in the detection of blood group antigen-antibody reactions, 218
Streptococcus pneumoniae, optochin in identification of, 58
Streptomycin resistance in tubercle bacilli, detection of, 229
Sulphate ^{35}S, uptake by leukaemic human bone marrow *in vivo*, 166
Suprarenal apoplexy, post-traumatic, 185
— gland, histological differentiation between phaeochromocytoma and melanoma of, 89
SWALE, J., *see* BEDWELL, G. A., PATTERSON, J., and SWALE, J.
Sympathomimetic drugs, enhancement of antigenic activity of toxoids by, (P) 180

T

TALBOT, J. M., *see* CAWSON, R. A., and TALBOT, J. M.
TAYLOR, Joan, and CHARTER, Ruth E.: *Escherichia coli* O.128 causing gastro-enteritis of infants, 276
Teeth and jaws in Paget's disease of bone, 195
TERRY, R.: Needle necropsy, 38
Tetracycline, dried disc technique with, 117
THOMAS, M. E. M.: Studies on a CO_2-dependent staphylococcus, 288
THOMPSON, H., *see* DICK, J. C., RITCHIE, G. M., and THOMPSON, H.
Thrombin-fibrinogen reaction and prothrombin time, 318
Thromboplastin generation, effect of antibiotics on, 173
— — test, haemorrhagic diathesis investigated by, 168
TOBIN, J. O'H., *see* MODI, N. L., and TOBIN, J. O'H.
TOPLEY, Elizabeth, *see* WEINER, W., and TOPLEY, Elizabeth
Torulosis, acute disseminated, associated with Hodgkin's disease, 201
— associated with Hodgkin's disease, 207
Toxic reactions, haematological aspects of, (P) 350
Toxoids, antigenic activity of, enhancement by sympathomimetic drugs, (P) 180
Transferrin in serum and urine proteins, 334
TREHERNE, J. D., *see* FRANGLEN, G. T., MARTIN, N. H., and TREHERNE, J. D.
TREIP, C. S., *see* PAGEL, W., and TREIP, C. S.
Tubercle bacilli, detection of streptomycin resistance in, 229
— — method of determining sensitivity to chemotherapeutic agents, 242
— — sensitivity to *para*-aminosalicylic acid, 229
— — solid and liquid medium sensitivity tests of, 229
Turnbull, Professor H. M. (obituary), 356
"Two-syringe" technique for estimation of coagulation time, 227
Typing, bacteriophage, of *S. aureus*, (P) 180
— value of, in epidemiological investigations, (P) 179

U

UNGAR, J.: The enhancement of the antigenic activity of toxoids by sympathomimetic drugs, (P) 180
Urinary infections, suppression of resistant variants in, (P) 350
— metabolites containing an aromatic system, isolation and examination of, 73
— proteins, reliability of determination by electrophoresis, 140
Urine and serum proteins, demonstration of iron-binding globulin (transferrin) in, 334
— bilirubin, assessment of new tests for, 163
— determination and significance of 17-ketogenic steroids in, (P) 351
— normal human, cells of, 25

V

Vasculosis, fibrinous, (P) 180
VERSCHURE, J. C. M., *see* WOLVIUS, D., and VERSCHURE, J. C. M.
Viscero-cutaneous collagenosis, 1

W

Water, conductivity, production and storage of, 262
WATSON, K. C.: Effect of chloramphenicol on the isolation of *S. typhi* from the blood stream, 55
— The fate of *S. typhi* in blood clot in relation to the problem of isolation, 52
WEINER, W., and TOPLEY, Elizabeth: Döhle bodies in the leucocytes of patients with burns, 324
WETHERLEY-MEIN, G., HUTT, M. S. R., LANGMEAD, W. A., and HILL, M. J.: Radioactive iron techniques in routine haematological practice, (P) 349
WHITBY, J. L., *see* BROWN, J. A. H., and WHITBY, J. L.
WHITEHEAD, T. P., and WHITTAKER, S. R. F.: A method for the determination of glutamine in cerebrospinal fluid and the results in hepatic coma, 81
WHITTAKER, S. R. F., *see* WHITEHEAD, T. P., and WHITTAKER, S. R. F.
WHYTE, I. C., *see* EMSLIE-SMITH, D., JOHNSTONE, J. M., and WHYTE, I. C.
WILLIAMS, A. W.: A simple method for the estimation of pepsin in gastric juice, 85
WILLIAMS, R. E. O.: The bacteriophage typing of *Staphylococcus aureus*, (P) 180
WILSON, H. E. C.: The effect of the ingestion of potassium salts on the excretion of salt-retaining corticoids in the human subject, (P) 352
WOLVIUS, D., and VERSCHURE, J. C. M.: The reliability of the determination of urinary proteins by electrophoresis on filter paper, 140
WOODMAN, D., and YEOMAN, W. B.: A simplified method of investigating steatorrhoea, 79
WRAY, S.: The significance of the blood acid and alkaline phosphatase values in cancer of the prostate, (P) 351
WRIGHT, H. P., and HAYDEN, M.: The effect of diet upon the response to oral anticoagulants, 65

X

X rays, soft, radiographic examination of lung specimens by, (P) 181

Y

YEOMAN, W. B.: The estimation of protein in cerebrospinal fluid using the M.R.C. photometer, 252
— *see also* WOODMAN, D., and YEOMAN, W. B.

Printed in Great Britain by Fisher, Knight and Co., Ltd., The Gainsborough Press, St. Albans.